



**AMENDMENT NO. 2**  
**(ISSUED 11-20-18)**

**SECTION II**  
**CONDITIONS GOVERNING THIS PROCUREMENT**

B. EXPLANATION OF EVENTS

**CHANGED:**

Submission of Proposal

ALL OFFEROR PROPOSALS MUST BE RECEIVED FOR REVIEW AND EVALUATION BY THE PROCUREMENT MANAGER OR DESIGNEE, NO LATER THAN 4:30 P.M. LOCAL TIME, **WEDNESDAY, NOVEMBER 28, 2018**. Proposals received after this deadline will not be accepted. The date and time of receipt will be recorded on each proposal. Proposals must be sealed and labeled on the outside of the package to clearly indicate response to the “On-Call Professional Surveying Services”.

PLEASE NOTE: Proposals submitted via facsimile or any other electronic method will not be accepted

**SECTION IV**  
**MANDATORY REQUIREMENTS**

3. Insurance

Certification of professional liability insurance of at least one million dollars (\$1,000,000)

**CHANGED**

3. INSURANCE

**PROFESSIONAL LIABILITY INSURANCE**

The Contractor will be required to obtain Professional Liability Insurance in an amount not less than \$1,000,000 in the aggregate.

**COMMERCIAL GENERAL LIABILITY AND AUTOMOBILE INSURANCE**

All commercial general liability and automobile insurance policies shall have liability limits in amounts not less than \$1,000,000 combined single limit of liability for bodily injury, including death and property damage in any one occurrence.

**WORKERS' COMPENSATION INSURANCE**

Shall comply with the provisions of the Workers' Compensation Act

Said policies of insurance shall be in effect for the term of the contract and include coverage for all operations performed for MRGCD by the Contractor. Contractor shall include a Certificate of Insurance and copies of any endorsement(s) from their policy for any other additional insured coverage.

Contract shall also notify MRGCD of any change or cancellation of insurance policy.

**GENERAL REQUIREMENTS:**

2. **Letter of Transmittal**

**CHANGED**

g) explicitly indicate acceptance of the Conditions Governing the Procurement stated in Section II, **Paragraph C.2;**