



# Agenda

For Presentation at the  
Special Meeting of the  
Board of Directors of the  
Middle Rio Grande Conservancy District  
on the  
Corrales Siphon Pumping Project Bids



February 28, 2022 – 8:00 AM

Meeting URL: <https://www.anymeeting.com/330-945-783>  
Optional Dial-In Number: +1(716)273-1030 and PIN: 330-945-783#

Meetings are held on second Mondays/month. Any questions please call the Board Liaison at (505) 247-0234.  
For more information, visit our website at [www.mrgcd.com](http://www.mrgcd.com)

This meeting will be a hybrid event. **Effective, February 17, 2022, Governor Lujan Grisham has lifted the indoor mask mandate, masks are no longer required at the District.** Members of the public may call in and the Chair will ask individuals on the line to state their name for the record and whether they intend to address the Board under 'Items from the Floor' and up to six minutes will be provided for each person wishing to speak at that time. Otherwise, members of the public may only listen in, and your line will be muted to avoid any disruption.

*All items on Agenda are Subject to Action and times shown are approximate and are subject to change.*

- 8:00 1. **Pledge of Allegiance**
- 8:01 2. **Approval of the Agenda**
- 8:25 3. **Items From the Floor (Comments are limited to six (6) minutes)**
- 8:45 4. **Discussion/Approval of the Corrales Siphon Pumping Project Bids – Jason Casuga, CE/CEO**
- 8:55 5. **Discussion on the Emergency Fallowing Program – Jason Casuga, CE/CEO and Casey Ish, Water Resources Specialist**
- 9:15 6. **Adjourn**

THE PUBLISHING OF THIS AGENDA DOES NOT PRECLUDE THE CONSIDERATION OF OTHER MATTERS.

*If you are an individual with a disability who is in need of a reader, amplifier, qualified sign language interpreter, or any other form of auxiliary aid or service to attend or participate in the hearing or meeting, please contact the Board Liaison at (505) 247-0234 at least one (1) week prior to the meeting or as soon as possible. Public documents, including the agenda and minutes can be provided in various formats.*